

DATE: February 7, 2013

PROJECT: Omaha TCU
Omaha, Nebraska
PROJECT No. 115100

FROM: Ankrom Moisan Architects
6720 SW Macadam Avenue, Suite 100
Portland, Oregon 97219

TO: General Contractor

This Addendum forms a part of the Contract Documents and modifies the original Bidding Documents dated **December 17, 2012 (MEP sheets dated January 4, 2013)**. Acknowledge receipt of this Addendum in GMP breakdown.

Contractor is hereby notified that they will make necessary adjustments in their estimates to reflect item in this Addendum.

It will be construed that each Contractor's GMP is submitted with full knowledge of modifications and supplemental data specified herein.

SUBSTITUTION REQUESTS

See attached reviewed substitution requests.

PROJECT MANUAL

- 1.1 Section 04 20 00 Concrete Masonry Units
 - 2.02 Mortar and Grout Materials
 - 1. **ADD:** E. Color: Natural Grey
 - 2.04 Masonry Cleaner
 - 1. **REVISE:** A. To read: Cleaning Solution: **Low**-acidic, not harmful to masonry work or adjacent materials. **Must be approved by masonry manufacturer.**

- 1.2 Section 04 20 01 Clay Masonry Veneer
 - 2.02 Mortar Materials
 - 1. **ADD:** F. Color: Davis True Tone 6058 Chocolate Brown 5lbs per 94lbs Gray Cement
 - 2.06 Masonry Cleaner
 - 1. **REVISE:** B. To read: Cleaning Solution: **Low**-acidic, not harmful to masonry work or adjacent materials. **Must be approved by masonry manufacturer.**
 - 3.08 Cavity Mortar Control – Open Cavity
 - 1. **ADD:** F: A mortar diverter or mortar net may be used, but the cavity must be kept clean of mortar and must allow enough drainage and ventilation.

- 1.3 Section 07 31 15 Fiberglass Reinforced Shingles
 - 2.02 Materials
 - 1. **REVISE:** To read:
 - A. GAF Timberline Lifetime Architectural Roofing – Timberline Natural Shadow**

B. Comply with ASTM D 3462
C. Color: Hunter Green

- 1.4 Section 09 06 02 Materials and Finishes Schedule
 - 1. **REVISE:** Reissue this section.
- 1.5 Section 12 21 13 Horizontal Louver Blinds
 - ADD:** 3.05 Schedule
 - A. All exterior windows to have horizontal louver blinds, including arched windows.
- 1.6 Section 27 00 00
 - REVISE:** 1.6.G to read: **Wired** security camera system.

DRAWINGS

- 2.1. Sheet A2.00a
 - 1. **REVISE:** Horizontal Assembly 2 as shown clouded.
- 2.2. Sheet A2.02
 - 1. **REVISE:** General Notes as shown clouded.
 - 2. **REVISE:** Size of roof hatch as shown.
- 2.3. Sheet A3.10
 - 1. **REVISE:** Wall insulation at cupolas to be batt insulation.
- 2.4. Sheet A4.00
 - 1. **REVISE:** Some door types to be stile and rail as shown clouded.
- 2.5. Sheet A4.11
 - 1. **REVISE:** Detail 9/A4.11 to include a new detail call out.
 - 2. **ADD:** Detail 15/A4.11
- 2.6. Sheet A5.02
 - 1. **DELETE:** (1) Sink at Salon 182.
- 2.7. Sheet A5.03
 - 1. **ADD:** Interior elevation tags at corridors.
- 2.8. Sheet A5.10
 - 1. **ADD:** Extent of wall paint types.
 - 2. **ADD:** Countertop types
- 2.9. Sheet A6.01
 - 1. **ADD:** Wood veneer call out; Plastic Laminate call out;
 - 2. **REVISE:** Fireplace tile type.
- 2.10. Sheet A6.02
 - 1. **DELETE:** Gypsum board soffit and clean and soiled utility rooms.
 - 2. **REVISE:** Clarified extent of SV base; Clarified Plastic Laminate call outs and Nurse Stations; Clarified Stain type at Nurse Stations; Revised base at Nurse Stations.
- 2.11. Sheet A6.03

1. **REVISE:** Clarified Plastic Laminate call outs; Clarified base and wood veneer panel at Café; Clarified mosaic tile and base trim at Dining; Clarified floor and cove at Janitor; Clarified paint at Art Wall; Clarified paint at walls and plenum at Laundry.
 2. **REVISE:** Change base cabinets to stained wood at Library and at Dining.
 3. **ADD:** Tile wainscot at restrooms as shown clouded.
- 2.12. Sheet A6.04
1. **REVISE:** Clarified base, wood veneer panel, and paint at Corridors; Clarified wood veneer panel at PT Chart.
 2. **REVISE:** Change countertop type at PT Chart; Change cabinets to be stained wood at Private Dining.
 3. **ADD:** Tile wainscot where shown at restroom.
- 2.13. Sheet A6.05
1. **REVISE:** Clarified paint, wood beams, tile, and wood veneer panel at the Chapel; Clarified Plastic Laminate and wall covering at Salon.
 2. **DELETE:** (1) sink and mirror at Salon.
 3. **REVISE:** Casework layout as shown clouded.
 4. **ADD:** Typical corridor elevations; Corridor 119 elevation.
- 2.14. Sheet A7.05
1. **ADD:** Chair rail details and panel trim elevations.
- 2.15. Sheet A8.02
1. **ADD:** Soffit at Café 169.
- 2.16. Sheet A8.03
1. **ADD:** Ceiling height call out at Corridor 228.
- 2.17. Sheet A9.00
1. **REVISE:** Room Finish Schedule.
- 2.18. Sheet A9.01
1. **REVISE:** Finish Floor Plan.
- 2.19. Sheet S2.1, S2.2, S2.3, and S2.4
1. **REVISE:** Note 11 to read: Indicates 2x bearing wall on concrete footing. Exterior walls shall be 2x6 wood studs at 16" O.C. type A shear walls and interior walls shall be 2x4 at 24" O.C. U.N.O. For stud grade refer to S1.1.

ATTACHMENTS

Reviewed substitution requests.

Specifications sections: 09 06 02

Full size sheets: A2.00a, A3.10, A4.00, A4.11, A5.02, A5.03, A5.10, A6.01, A6.02, A6.03, A6.04, A6.05, A7.05, A8.02, A8.03, A9.00, A9.01.

END OF ADDENDUM

TO

PROJECT: OMAHA TCU

SPECIFIED ITEM: SIPLAST OR SUPREMA

SECTION 075216 PAGE 5 PARAGRAPH 2.01

DESCRIPTION

PROPOSED SUBSTITUTION

ATTACHED DATA INCLUDES PRODUCT DESCRIPTION, SPECIFICATIONS, DRAWINGS, PHOTOGRAPHS, PERFORMANCE AND TEST DATA ADEQUATE FOR EVALUATION OF REQUEST INCLUDING IDENTIFICATION OF APPLICABLE DATA PORTIONS.

ATTACHED DATA ALSO INCLUDES DESCRIPTION OF CHANGES TO CONTRACT DOCUMENTS AND PROPOSED SUBSTITUTION REQUIRES FOR PROPER INSTALLATION.

UNDERSIGNED CERTIFIES FOLLOWING ITEMS, UNLESS MODIFIED BY ATTACHMENTS, ARE CORRECT:

1. PROPOSED SUBSTITUTION DOES NOT AFFECT DIMENSIONS SHOWN ON DRAWINGS.
2. UNDERSIGNED PAYS FOR CHANGES TO BUILDING DESIGN, INCLUDING ENGINEERING DESIGN, DETAILING, AND CONSTRUCTION COSTS CAUSED BY PROPOSED SUBSTITUTION.
3. PROPOSED SUBSTITUTION HAS NO ADVERSE EFFECT ON OTHER TRADES, CONSTRUCTION SCHEDULE, OR SPECIFIED WARRANTY REQUIREMENTS.
4. MAINTENANCE AND SERVICE PARTS AVAILABLE LOCALLY OR READILY OBTAINABLE FOR PROPOSED SUBSTITUTION.

UNDERSIGNED FURTHER CERTIFIES FUNCTION, APPEARANCE, AND QUALITY OF PROPOSED SUBSTITUTIONS ARE EQUIVALENT OR SUPERIOR TO SPECIFIED ITEM.

UNDERSIGNED AGREES TO TERMS AND CONDITIONS FOR SUBSTITUTIONS FOUND IN BIDDING DOCUMENTS TO THIS PROPOSED SUBSTITUTION.


SUBMITTED BY: L. JOHNSON SALES, INC

NAME (PRINTED OR TYPED) STEVE JOHNSON GENERAL CONTRACTOR (IF AFTER AWARD OF CONTRACT)

SIGNATURE:  FOR USE BY A/E

FIRM NAME: APPROVED APPROVED AS NOTED

ADDRESS: NOT APPROVED RECEIVED TOO LATE

CITY, STATE, ZIP: _____ BY: 

4822 S. 133RD ST
OMAHA, NE 68137
(402) 894-5812

*VERIFY THAT
PROPOSED PRODUCT
MEETS
REQUIREMENTS
OF 075216*



SUBSTITUTION REQUEST

(During the Bidding/Negotiating Stage)

Project: Omaha TCU (Negotiated) Substitution Request Number: 1 of 2 Exit Devices

OMAHA, NE From: Michael Beard

To: Ankrom Moisan Associated Architects PC Date: 1/27/13

Attn: Jason Fifield/ScottThompson A/E Project Number: Pjt#115100

Re: Submittals for Product Substitution- Section 087100 Contract For: _____

Specification Title: Door Hardware Hardware Description: Exit Devices

Section: 087100 Page: 9 of 20 Article/Paragraph: 2.05L

Proposed Substitution: Yale

Manufacturer: Yale Address: www.yalelocks.com Phone: 800.438.1951

Trade Name: Yale Commercial Locks and Hardware Model No.: Yale 7000 Series

Attached data includes product description, specifications, drawings, photographs, and performance and test data adequate for evaluation of the request; applicable portions of the data are clearly identified.

Attached data also includes a description of changes to the Contract Documents that the proposed substitution will require for its proper installation.

The Undersigned certifies:

- Proposed substitution has been fully investigated and determined to be equal or superior in all respects to specified product.
- Same warranty will be furnished for proposed substitution as for specified product.
- Same maintenance service and source of replacement parts, as applicable, is available.
- Proposed substitution will have no adverse effect on other trades and will not affect or delay progress schedule.
- Proposed substitution does not affect dimensions and functional clearances.
- Payment will be made for changes to building design, including A/E design, detailing, and construction costs caused by the substitution.

Submitted by: Michael Beard

Signed by: _____

Firm: Door Security Solutions -Mid Continent

Address: 8001 Conser, Suite 100

Overland Park, Ks. 66204

Telephone: 402.4764727 Fax: 402.476.4727

A/E's REVIEW AND ACTION

- Substitution approved - Make submittals in accordance with Specification Section ~~01 25 00~~ ^{01 60 00} Substitution Procedures.
- Substitution approved as noted - Make submittals in accordance with Specification Section 01 25 00 Substitution Procedures.
- Substitution rejected - Use specified materials.
- Substitution Request received too late - Use specified materials.

Signed by: Jason Fifield

Date: 02/07/2013

Supporting Data Attached: Drawings Product Data Samples Tests Reports _____



SUBSTITUTION REQUEST

(During the Bidding/Negotiating Stage)

Project: Omaha TCU (Negotiated) Substitution Request Number: 2 of 2 Exit Devices

ANKENY, IA From: Michael Beard

To: Ankrom Moisan Associated Architects PC Date: 1/27/13

Attn: Jason Fifield/ScottThompson A/E Project Number: Pjt #115100

Re: Submittals for Product Substitution- 087100 Contract For: _____

Specification Title: Door Hardware Description: Exit Devices

Section: 087100 Page: 9 of 20 Article/Paragraph: 2.05L

Proposed Substitution: Sargent

Manufacturer: Sargent Address: www.sargentlock.com Phone: 800.727.5477

Trade Name: Sargent Architectural Hardware Model No.: Sargent 80 Series

Attached data includes product description, specifications, drawings, photographs, and performance and test data adequate for evaluation of the request; applicable portions of the data are clearly identified.

Attached data also includes a description of changes to the Contract Documents that the proposed substitution will require for its proper installation.

The Undersigned certifies:

- Proposed substitution has been fully investigated and determined to be equal or superior in all respects to specified product.
- Same warranty will be furnished for proposed substitution as for specified product.
- Same maintenance service and source of replacement parts, as applicable, is available.
- Proposed substitution will have no adverse effect on other trades and will not affect or delay progress schedule.
- Proposed substitution does not affect dimensions and functional clearances.
- Payment will be made for changes to building design, including A/E design, detailing, and construction costs caused by the substitution.

Submitted by: Michael Beard

Signed by: _____

Firm: Door Security Solutions -Mid Continent

Address: 8001 Conser, Suite 100

Overland Park, Ks. 66204

Telephone: 402.476.4727 Fax: 402.476.4727

A/E's REVIEW AND ACTION

- Substitution approved - Make submittals in accordance with Specification Section ~~01.25.00~~ ^{01.60.00} Substitution Procedures.
- Substitution approved as noted - Make submittals in accordance with Specification Section 01.25.00 Substitution Procedures.
- Substitution rejected - Use specified materials.
- Substitution Request received too late - Use specified materials.

Signed by: Jason Fifield

Date: 02/07/2013

Supporting Data Attached: Drawings Product Data Samples Tests Reports _____

SECTION 09 06 02 MATERIALS & FINISHES SCHEDULE

ROOM FINISH SCHEDULE LEGEND

ACP	Acoustical Ceiling Panel
B	Base
C	Carpet
FRP	Fiberglass Reinforced Plastic Panels
GYP	Gypsum Wall Board
P	Paint
PF	Poured Floor
PL	Plastic Laminate
RB	Rubber Base
SC	Sealed Concrete
SS	Solid Surface
ST	Stain
SV	Sheet Vinyl
T	Tile
VPF	Vinyl Plank Flooring
WC	Wallcovering
WF	Wood Flooring
WM	Walk-Off Matt
WV	Wood Veneer

REFER TO SECTION 03 30 00: CAST-IN-PLACE CONCRETE

SC	Sealed Concrete
----	-----------------

REFER TO SECTION 06 40 23: INTERIOR ARCHITECTURAL WOODWORK

WOOD BASE

B-1	Size: 6 inch profiled base. Finish: Paint. Location: Lobby/Public/Corridors.
B-2	Size: 6 inch profiled base. Species: Alder. Finish: Dark Walnut- stain to match architect's sample. Location: Main Lobby.

REFER TO SECTION 06 41 00: ARCHITECTURAL WOOD CASEWORK

WOOD VENEER

WV-1 Species: Alder.
 Finish: Dark Walnut- stain to match architect's sample.

PLASTIC LAMINATE

PL-1 Manufacturer: Formica.
 Pattern: 3695-58 Painted Screen, Matte finish.
 Location: Reception Work counter, Workroom counter.

PL-2 Manufacturer: Wilsonart.
 Pattern: 7957K-78 Zanzibar.
 Location: Cabinet/drawer face.

PL-3 Manufacturer: Formica.
 Pattern: 7709-58 Jute Gauze.
 Location: Clean/Soiled counters.

PL-4 Manufacturer: Pionite.
 Pattern: Mineral Talc AG381-Suede.
 Location: Nurses Station counter.

PL-5 Manufacturer: Formica.
 Pattern: 6205-58 Bronze Rust- Matte.
 Location: Staff Lounge counter.

PL-6 Manufacturer: Pionite.
 Pattern: Gold Pannin AT710-Suede.
 Location: Café work counter.

PL-7 Manufacturer: Formica.
 Pattern: 6223-58 Venetian Gold Granite- Matte.
 Location: Salon counter.

PL-8 Manufacturer: Wilsonart.
 Pattern: 4873-60 Western Bronze.
 Location: Salon cabinet/drawer face, Nurses Station work countertop.

REFER TO SECTION 06 82 05: FIBERGLASS REINFORCED PANELS

FRP Refer to Section 06 82 05.

REFER TO SECTION 09 30 00: TILE

- T-1 Distributor: Thompson Tile- Division of Olympia Tile & Stone.
 Product: Regal.
 Color: Sand Beige.
 Finish: Matte.
 Size: 12 x 12.
 Contact: Craig Corbin 503.225.1273.
 Location: Restroom floor tile.
- T-2 Distributor: Thompson Tile- Division of Olympia Tile & Stone.
 Product: Regal.
 Color: Sand Beige.
 Finish: Polished.
 Size: 12 x 12, **Bullnose 3.88" x 12"**. (ADD-4)
 Contact: Craig Corbin 503.225.1273.
 Location: Restroom wall tile.
- T-3 Product: Oceanside Glass Tile.
 Color: Harmonia Applaud Blend.
 Description: glass mosaic tile.
 Size: 7/8" x 7/8"- 12" x 12" sheet.
 Location: Restroom wall accent tile.
- T-4 Distributor: Norstone USA.
 Product: White Rock Panel.
 Color: White.
 Size: 6" H x 24"W.
 Contact: Steve Lai 949.400.1977.
 Location: Chapel accent wall.
- T-5 Distributor: Thompson Tile- Division of Olympia Tile & Stone.
 Product: Yahle Mosaics.
 Color: Brown Blend.
 Size: 12" x 12" sheet.
 Contact: Craig Corbin 503.225.1273.
 Location: Dining Room- backsplash at casework.
- T-6 Distributor: Thompson Tile- Division of Olympia Tile & Stone. (ADD-4)**
Product: Yahle Mosaics. (ADD-4)
Color: Black Blend. (ADD-4)
Size: 12" x 12" sheet. (ADD-4)
Contact: Craig Corbin 503.225.1273. (ADD-4)
Location: Lobby Fireplace. (ADD-4)

T-7 **Distributor: Thompson Tile- Division of Olympia Tile & Stone. (ADD-4)**
Product: High Rock. (ADD-4)
Color: Charcoal. (ADD-4)
Size: 12" x 12" sheet. (ADD-4)
Contact: Craig Corbin 503.225.1273. (ADD-4)
Location: Vestibule. (ADD-4)

T-8 **Distributor: Thompson Tile- Division of Olympia Tile & Stone. (ADD-4)**
Product: Regal. (ADD-4)
Color: Sand Biege. (ADD-4)
Size: 12" x 12" sheet. (ADD-4)
Contact: Craig Corbin 503.225.1273. (ADD-4)
Location: Alternate at Unit Bathrooms. (ADD-4)

REFER TO SECTION 09 51 00: SUSPENDED ACOUSTICAL CEILINGS

ACP-1 Manufacturer: Armstrong.
Product: Cirrus 578, Angled Tegular.
Style/Grid Size: Prelude 15/16".
Size: 24" x 24" x 3/4".
Color: White (WH).
Location: Public Common Areas & Offices.
Contact: Bree Dever, 877.276.7876 ext 4325.

ACP-2 Manufacturer: Armstrong.
Product: Cortega #2195, Beveled Tegular.
Style/Grid Size: Prelude 15/16.
Size: 24" x 24" x 5/8".
Color: White (WH).
Location: Back of House Areas.
Contact: Bree Dever, 877.276.7876 ext 4325.

ACP-3 Manufacturer: Armstrong. (ADD-2)
Product: Clean Room, VL Vn-Perforated, #870. (ADD-2)
Style/Grid Size: Prelude 15/16. (ADD-2)
Size: 24" x 48". (ADD-2)
Color: White (vinyl). (ADD-2)
Location: Kitchen 176.. (ADD-2)
Contact: Bree Dever, 877.276.7876 ext 4325. (ADD-2)

REFER TO SECTION 09 64 23 WOOD FLOATING FLOORING

WD-1 Manufacturer: Oregon Lumber Co.
Style: Bellagio.
Species: Caribbean Rosewood.

Size: 9/16" x 5"W x 1'- 7'0" lengths.
Contact: Charles Couch 503.636.8191.

REFER TO SECTION 09 65 00: RESILIENT FLOORING

RESILIENT BASE

- RB-1 Manufacturer: Roppe.
 Size: 4 inches. (ADD-1)
 Color: 110 Brown. (ADD-1)
 Contact: Brad Rains TAS 206.678.6544.
- RB-2 Manufacturer: Roppe
 Size: 4 inches. (ADD-1)
 Color: 191 Camel. (ADD-1)
 Contact: Brad Rains TAS 206.678.6544.
- RB-3 Open. (ADD-1)

SHEET VINYL

- SV-1 Open. (ADD-1)
- SV-2 Manufacturer: Mannington.
 Product: Assurance II.
 Color: 16308 Cool Beige.
 Seams: Heat Welded. (ADD-1)
 Contact: Brad Rains TAS 206.678.6544.
 Location: Clean/Soiled/Maintenance.
- SV -3 Manufacturer: Armstrong.
 Product: Rejuvenations- Timberline.
 Color: Oak 37357 Solid.
 Seams: Butted. (ADD-1)
 Contact: Janet Radel 503-313-6963.
 Location: Salon, PT Kitchen, PT Chart, Nurse's Station.
- SV -4 Open. (ADD-1)
- SV -5 Manufacturer: Mannington.
 Product: Assurance II.
 Color: 16305 Bisque.
 Seams: Heat Welded. (ADD-1)
 Contact: Brad Rains TAS 206.678.6544.
 Location: Bather.

SV -6 Manufacturer: Armstrong.
Product: Rejuvenations- Stone Run.
Color: Lithos Stone 34332 Lithos Dacite.
Seams: Heat Welded. (ADD-1)
Contact: Janet Radel 503-313-6963.
Location: PT.

SV -7 Manufacturer: Mannington.
Product: Vivendi Collection.
Color: Blockprint VIV223- Parchment.
Seams: Heat Welded. (ADD-1)
Contact: Brad Rains TAS 206.678.6544.
Location: Unit Bathrooms.

VINYL PLANK FLOORING

VP-1 Manufacturer: Armstrong.
Product: Luxe Plank.
Color: A6891 Exotic Fruitwood Honey Spice.
Location: Isolation Room.

VP-2 Manufacturer: Armstrong.
Product: Luxe Plank.
Color: A6895 Amendoim Chestnut.
Location: Café & Staff Lounge.

REFER TO SECTION 09 67 23: RESINOUS FLOORING

POURED EPOXY FLOOR

RF-1 (ADD-4) Manufacturer: Stonhard.
Product: Stonshield UTS – Conductive Epoxy Broadcast System.
Texture: Medium.
Color: Selected from Manufacturer's Standard Colors. (ADD-1)
Contact: Kevin Vaughn, 503.410.1263.

REFER TO SECTION 09 68 00: CARPETING

CARPET

C-1 **Open.** (ADD-4)

C-2 Manufacturers: **J & J Invision.** (ADD-4)
Product: **Romanesque 6550.** (ADD-4)
Color: **Shine 1465.** (ADD-4)
Repeat: **36"W x 44.72"L.** (ADD-4)

Protective Treatment: Moisture Barrier.
Contact: **Jesse Woods 503.730-1378.** (ADD-4)
Location: Corridors, Typ.

C-3 Manufacturers: **J & J Invision.** (ADD-4)
Product: **Palladian 6540.** (ADD-4)
Color: **Shine 1465.** (ADD-4)
Repeat: **24"W x 21.6"L.** (ADD-4)
Protective Treatment: Moisture Barrier.
Contact: **Jesse Woods 503.730-1378.** (ADD-4)
Location: Typ Border.

C-4 Manufacturers: **J & J Invision.** (ADD-4)
Product: **Baroque 6500.** (ADD-4)
Color: **Shine 1465.** (ADD-4)
Repeat: **24"W x 48"L.** (ADD-4)
Protective Treatment: Moisture Barrier.
Contact: **Jesse Woods 503.730-1378.** (ADD-4)
Location: Dining & Private Dining.

C-5 **Open.** (ADD-4)

C-6 Open. (ADD-1)

C-7 Open. (ADD-1)

C-8 Manufacturers: **J & J Invision.** (ADD-4)
Product: **Rococo 6510.** (ADD-4)
Color: **Shine 1465.** (ADD-4)
Repeat: **24"W x 24"L.** (ADD-4)
Protective Treatment: Moisture Barrier.
Contact: **Jesse Woods 503.730-1378.** (ADD-4)
Location: Units.

WALK-OFF MATT

WM-1 Manufacturer: Connexus.
Product: **Hercules Rib 52.** (ADD-4)
Color: **Autumn.** (ADD-4)
Contact: Pacific Mat- Austin Green 971.645.6898.

REFER TO SECTION 09 72 00 Wall Coverings

WC-1 Manufacturer: DesignTex.
Style: Pattu.
Color: 6117-503 Marcasite.

Width: 52"/54".
Repeat: none.
Content: 70% Vinyl, 20% Recycled Polyester, 10% Recycled Vinyl- Type II.
Contact: Denise Durrell 503.816.8655.
Location: Entry Lobby.

WC-2 Manufacturer: JM Lynne.
Style: Natik Damask.
Color: J281 403.
Width: 52".
Location: Salon- accent wall.

REFER TO SECTION 09 90 00: PAINTING AND COATING

- P-1 Manufacturer: Benjamin Moore. (ADD-1)
Color: HC-5 Weston Flax. (ADD-1)
Finish: Egg Shell. (ADD-1)
Location: General Wall Public. (ADD-1)
- P-2 Manufacturer: Benjamin Moore. (ADD-1)
Color: E-01 Brilliant White. (ADD-1)
Finish: Semi-Gloss. (ADD-1)
Location: General Trim - Column, moldings, trim. (ADD-1)
- P-3 Manufacturer: Benjamin Moore. (ADD-1)
Color: **1476 Squirrel Tail**. (ADD-4)
Finish: Egg Shell. (ADD-1)
Location: Below Chair Rail. (ADD-1)
- P-4 Manufacturer: Benjamin Moore. (ADD-1)
Color: 1183 Seminole Brown. (ADD-1)
Finish: Egg Shell. (ADD-1)
Location: Dining Accent. (ADD-1)
- P-5 Manufacturer: Benjamin Moore. (ADD-1)
Color: 955 Berber White. (ADD-1)
Finish: Egg Shell. (ADD-1)
Location: General Wall - Back of House. (ADD-1)
- P-6 Manufacturer: Benjamin Moore. (ADD-1)
Color: 1558 Fieldstone. (ADD-1)
Finish: Egg Shell. (ADD-1)
Location: Accent Wall Pays Therapy. (ADD-1)

- P-7 Manufacturer: Benjamin Moore. (ADD-1)
 Color: E-01. (ADD-1)
 Finish: Flat. (ADD-1)
 Location: Ceilings. (ADD-1)
- P-8 Manufacturer: Benjamin Moore. (ADD-1)
 Color: HC-42 Roxbury Caramel. (ADD-1)
 Finish: Egg Shell. (ADD-1)
 Location: Break Room, PT Kitchen, Unit Accent Option. (ADD-1)
- P-9 Manufacturer: Benjamin Moore. (ADD-1)
 Color: HC-102 Clarksville Gray. (ADD-1)
 Finish: Egg Shell. (ADD-1)
 Location: Cafe, Chapel, Unit Accent Option. (ADD-1)
- P-10 Manufacturer: Benjamin Moore. (ADD-1)
 Color: 957 Papaya. (ADD-1)
 Finish: Egg Shell. (ADD-1)
 Location: Units. (ADD-1)
- ST-1 Trim Stain Color to match Lanz cab finish: Alder-Dark Walnut.

REFER TO SECTION 12 36 00: COUNTERTOPS

SOLID SURFACE

- SS-1 Distributor: Touchstone Granite & Marble.
 Product: Granite.
 Pattern/Style/Color: Giallo Napoleon Lite GY052.
 Size: Slab size.
 Edge: Straight.
 Location: Reception Desk- raised countertop.
- SS-2 Distributor: Touchstone Granite & Marble.
 Product: Granite.
 Pattern/Style/Color: Golden Leaf GY030.
 Size: Slab size.
 Edge: Straight.
 Contact: Jim Grant- 503-227-1272.
 Location: Café- raised countertop.
- SS-3 Distributor: Daltile.
 Product: Granite.
 Pattern/Style/Color: Santa Cecilia G287.
 Size: Slab size.
 Edge: Straight.

Contact: Hilary Noah.

Location: Dining countertop & Nurse's Station- raised countertop.

SS-4 Distributor: Corian. (ADD-2)
 Product: Solid Surface. (ADD-2)
 Pattern/Style/Color: Fossil. (ADD-2)
 Edge: Eased Edge. (ADD-2)
 Location: Unit Bathroom Countertops. (ADD-2)

END OF SECTION