

1	GENERAL REVISIONS	2019-0229
0	ISSUE FOR PERMIT	2019-0228
MARK	REVISIONS	DATE

ALL DIMENSIONS AND RELATIONSHIPS MUST BE VERIFIED BY CONTRACTOR. THE ARCHITECT IS TO BE NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION. DO NOT SCALE FROM DRAWINGS.

PROJECT #: 1351
FILENAME: Odettes.v2017.current.rvt
DRAWN: Author
CHECKED: Checker
DATE: 2019-0228

PERMIT SET

EDGE OF SLAB PLANS

DRAWING

A004

EDGE OF SLAB KEY

- PRECAST HOLLOWCORE CONCRETE PLANK
- CONCRETE SLAB / CONCRETE SLAB ON METAL DECK
- CONCRETE CURB OR NON-SHRINK GROUT - SEE ARCHITECTURAL & STRUCTURAL DETAILS
- CONCRETE OVER POUR OR HOUSEKEEPING PAD
- INDICATES SLOPE OF SLAB
- AREA DRAIN / FLOOR DRAIN
- INDICATES SUMP SYSTEM DRAIN

EDGE OF SLAB GENERAL NOTES:

- ALL ELEVATIONS RELATIVE TO PROJECT DATUM +0.00 (ACTUAL ELEVATION 61.10')
- ALL FLOOR ELEVATIONS ARE TO SLAB OR UNDERLAYMENT SUBSTRATE NOT TAKING INTO ACCOUNT THICKNESS OF FLOOR FINISHES
- CROSS SLOPES AT PEDESTRIAN WALKING SURFACES SHALL NOT BE GREATER THAN 1/4" / FT
- SLOPE SLAB-ON-GRADE OR GRADE MIN 1/4" / FT AWAY FROM BUILDING UOK
- GC TO NOTIFY ARCHITECT IF MATERIAL BETWEEN BUILDING FOUNDATION AND CANAL WALL CANNOT ACHIEVE 3'-0" MINIMUM FROST DEPTH FROM FINISH TO B.O. FOUNDATION

