


<u>RCP - GENERAL NOTES:</u>

- 1. ALL DIMENSIONS OF FIXTURES, DEVICES, ETC. ARE TO CENTERLINE OF FIXTURE, U.O.N. WHERE ITEMS ARE IN LINE, CENTERLINE OF ITEMS OR GROUP OF ITEMS TO ALIGN, U.O.N. 2. ACT CEILING TO BE CENTERED IN ALL ROOMS, U.O.N. REFER TO CEILING LAYOUT FOR GRID LINE OR TILE TO BE CENTERED. CUT CEILING TILES TO BE 6" MINIMUM (NOTIFY ARCHITECT/DESIGNER IF LESS, PRIOR TO CONSTRUCTION).
- 3. ALL WORK SHALL COMPLY WITH FEDERAL, STATE AND LOCAL BUILDING CODES AND REGULATIONS. 4. ALL MEP-FP DEVICE LOCATIONS NOT SHOWN ON DRAWINGS, OR IN CONFLICT WITH MEP-
- FP DRAWINGS, ARE TO BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION. 5. SPRINKLER HEADS SHOWN FOR ARCHITECTURAL DESIGN INTENT ONLY, NOT FOR CODE DISTRIBUTION. SEE FIRE PROTECTION DRAWINGS FOR DISTRIBUTION AND HYDRAULIC
- CALCULATIONS. 6. REFER TO INTERIOR DESIGN DRAWINS FOR FINISHES NOT NOTED ON ARCHITECTURAL PLANS.
- 7. MECHANICAL AND ELECTRIAL EQUIPMENT SHALL BE INSTALLED ABOVE THE 8. 09 54 29 BASIS OF DESIGN: RULON ENDURE 800 PROFILE, COLOR TBD
- 9. 09 54 29 BASIS OF DESIGN: RULON ENDURE 900 PROFILE, WOOD GRAIN FINISH TBD $\stackrel{\scriptstyle <}{\searrow}$

RCP<u>NOTES</u>

1. PROVIDE MISC. METAL SUPPORTS & ANGLES AS REQUIRED BY OPERABLE PARTITION MNFR. REFER TO MNFR. SPECIFIC DETAILS FOR ADDITIONAL INFORMATION

<u>CEILING LEGEND</u>



RETURN DIFFUSER SLOT DIFFUSER ACCESS PANEL

2' X 2' ACOUSTICAL PANEL CEILING 2' X 4' ACOUSTICAL

PANEL CEILING

		FLUSH MOUNT STRIP UTILI
NG		WALL MTD.
	0	ROUND RECESSED
		SQUARE RECESSED
	ô	ROUND RECESSED
	ô	SQUARE RECESSED
	Φ	DECORATIVE PENDANT
	\oplus	DECORATIVE PENDANT
		TAPE LIGHT
	O	ROUND FLUSH MOUNT
	-	STEP LIGHT
		EXTERIOR WALL PACK
Œ		EXTERIOR INFARED HEATE

2'X2' RECESSED

