| March Marc | NO. | FIXTURE | MANUFACTURER | MODEL | TYPE | TRIM | REMARKS | | | IECTIO | |
|--|--------|----------------------------|--------------|---|---|--|--|-------|---------|--------|---------|
| ACCOUNTY | WC-1 | | KOHLER | KINGSTON WALL MOUNTED 1.28 | BOWL WITH OPEN FRONT SEAT | ELECTRONIC INFRARED SENSOR ACTIVATION & SLOW CLOSE PISTON TECHNOLOGY. SEAT | | 1" | HW - | | |
| According | WC-1A | WALL HUNG | KOHLER | K-4325-0 KINGSTON WALL MOUNTED 1.28 | BOWL WITH OPEN FRONT SEAT | FLUSH VALVE KOHLER 'TRIPOINT' K-7531- ELECTRONIC INFRARED SENSOR ACTIVATION & SLOW CLOSE PISTON TECHNOLOGY. SEAT | WATER CLOSET MOUNTING HEIGHT 17" TO LIP | 1" | - | 4" | INTEGRA |
| Column | WC-2 | TANK TYPE | KOHLER | K-3950 TRESHAM TWO PIECE TANK TYPE, FLOOR | ROUGH WATER CLOSET 1.28 GPF, | INTEGRAL AQUA PISTON FLUSH ENGINE, TRIP LEVER OPERATION, QUIET CLOSE ELONGATED TOILET SEAT W/LID KOHLER K-4636, CHROME 1/2 | OF TIATURE | 1/2" | - | 4" | INTEGRA |
| Best | WC-2A | FLOOR MOUNTED TANK TYPE | KOHLER | TWO PIECE TANK TYPE, FLOOR | ELONGATED BOWL, TWO PIECE 12" | LEVER OPERATION, SLOW CLOSE ELONGATED TOILET SEAT W/LID KOHLER K-4008, CHROME 1/4 | | 1/2" | - | 4" | INTEGRA |
| The Company | UR-1 | | KOHLER | STEWARD WALL MOUNTED 1/8 | URINAL W/WALL HANGERS & 1/8 GPF FLUSHOMENTER | ELECTRONIC INFRARED SENSOR ACTIVATION & | | 3/4" | - | 2" | INTEGRA |
| Column | UR-1A | WALL HUNG | KOHLER | STEWARD WALL MOUNTED 1/8 | URINAL W/WALL HANGERS & 1/8 GPF FLUSHOMENTER | | URINAL MOUNTING HEIGHT 17" TO LIP | 3/4" | - | 2" | INTEGRA |
| March Colored Colore | LAV-1 | LAVATORY | KOHLER | RECTANGLE | MOUNT SINK W/FRONT OVERFLOW | LEVER HANDLE DECK MOUNTED FAUCET W/POP-UP DRAIN LIFT ROD & TAILPIECE, MATTE BLACK FINISH. K-8998-CP 'P' TRAP W/CLEAN OUT | ALL LAV TRAPS IN PUBLIC | 1/2" | 1/2" | 1 1/2" | 'P' |
| March Marc | LAV-2 | LAVATORY | KOHLER | RECTANGLE | W/FRONT OVERFLOW DRAIN - ? FAUCET HOLES & BRASS POLISHED CHROME LEGS, SHELF & SIDE | KOHLER 'K-14410-4-BL LEVER HANDLE DECK MOUNTED FAUCET W/POP-UP DRAIN LIFT ROD & TAILPIECE, MATTE BLACK FINISH 9033-BL BOTTLE | ALL LAV TRAPS IN PUBLIC | 1/2" | 1/2" | 1 1/2" | 'P' |
| Section Sect | LAV3 | LAVATORY | KOHLER | RECTANGLE | WHITE VITREOUS CHINA UNDER MOUNT SINK W/FRONT OVERFLOW | HANDLE DECK MOUNTED FAUCET W/POP-UP DRAIN LIFT ROD & TAILPIECE, MATTE BLACK FINISH 1½" X 1½" 'P' TRAP W/CLEAN OUT & | ALL LAV TRAPS IN ADA | 1/2" | 1/2" | 1 1/2" | 'P' |
| SINK MONTH ME SOURCE S | SK-1 | SINK | KOHLER | | UNDER MOUNT SINK W/OFFSET | KOHLER 'PURIST K-7547' 8" SPREAD LEVER HANDLE DECK MOUNTED FAUCET, MATTE BLACK FINISH 1½" 'P' TRAP W/CLEAN OUT & | | 1/2" | 1/2" | 1 1/2" | 'P' |
| STATE STATE DEVELOP | SK-2 | SINK | KOHLER | VAULT K-3822-1 | MOUNT SINGLE BOWL SINK | KOHLER 'PURIST K-7505 SINGLE LEVER DECK MOUNTED FAUCET W/ 3 FUNCTION , PULL OUT SPRAYHEAD , MATTE BLACK FINISH 1½" 'P' TRAP | | 1/2" | 1/2" | 1 1/2" | 'P' |
| Series S | SK-3 | SINK | KOHLER | UNDERMOUNT | MOUNT SINGLE BOWL SINK | MOUNTED FAUCET W/ 3 FUNCTION , PULL OUT SPRAYHEAD , MATTE BLACK FINISH 1½" 'P' TRAP | K-8801-CP | 1/2" | 1/2" | 1 1/2" | 'P' |
| MS MS MS MS MS MS MS MS | SK-4 | SINK | ELKAY | DLR191910 | MOUNT SINGLE BOWL SINK | WRIST BLADE HANDLES AND STRAINER DRAIN W/TAILPIECE & 1-1/2" 'P' TRAP W/CLEAN OUT & | | 1/2" | 1/2" | 1 1/2" | 'P' |
| SHOWER NOVER NOV | MR-1 | MOP RECEPTOR | FIAT | MSB-2424 | | VACUUM BREAKER. DRAIN: "T&S" B-0665-BSTP | STAINLESS STEEL WALL | 1/2" | 1/2" | 3" | 'P' |
| ### BATH TUB KOHLER DOS ACRYLLE TUB SCHOOL CLARM LINE MALE STORY CONTROL CLARM LINE MATERIANS SHOWER TRIAN, CLARM LINE MATERIANS COTTED CARRISON (CHART LINE MATERIANS CATERIA CREATER) 12° | SH-1 | SHOWER | KOHLER | K-T14501-4, K-8525, K-10257-A, K-976 & | PC TO ROUGH IN AND INSTALL | 2.5 GPM SHOWER HEAD, ARM, FLANGE AND PRESSURE BALANCE SHOWER VALVE, 30" SLIDE BAR W/HAND HELD SHOWER, FLEX HOSE & WALL OUTLET ALL IN MATTE BLACK. SHOWER DRAIN JR SMITH MODEL No 2005-B02 W/ | SHOWER BASIN & WALLS BY G.C SHOWER DRAIN J R SMITH 20005-UDC TOP FINISH NICKEL | | 1/2" | 2" | 'P' |
| FUNDELINAN | BT-1 | BATH TUB | KOHLER | 60/30 ACRYLIC TUB | SHOWER TRIM, CLEARFLO BRASS SLOTTED OVERFLOW BATH DRAIN | SHOWER TRIM, CLEARFLO BRASS SLOTTED OVERFLOW BATH DRAIN | | 1/2" | 1/2" | 1 1/2" | 'P' |
| FLOR DRAIN | FD | FLOOR DRAIN | J.R. SMITH | 2005 | | | 4" DEEP SEAL TRAP | 1/2"* | - | 3" | 'P' |
| FOUR SINK JUSTIC STATE AND SEDMENT BUCKET HOLES ANCHOR FLANGE AND FLASHING CLAMP FOR SINK JUSTIC STORY FOR SINK JUSTIC FOR SINK JUST | FD-1 | FLOOR DRAIN | J.R. SMITH | 2131 | | 12" Ø MEDIUM DUTY DUCO CST IRON STRAINER | 4" DEEP SEAL TRAP | 1/2"* | - | 3" | 'P' |
| FFD-1 | FS-1 | FLOOR SINK | JOSAM | 3009 | | | 4" DEEP SEAL TRAP | - | - | 4" | 'P' |
| DRAIN | FFD-1 | | J.R. SMITH | 2131- 3581 | DUCO CAST IRON BODY WITH | 12" Ø MEDIUM DUTY DUCO CST IRON STRAINER | 4" DEEP SEAL TRAP | 1/2"* | _ | 4 " AS | 'P' |
| Fifth-1 | NHA-1 | WATER HAMMER | J.R. SMITH | | | | | - | - | | - |
| HB-1 | NFHB-1 | NON-FREEZE | J.R. SMITH | | | 1/4 TURN NON-FREEZE HYDRANT, | | 3///" | _ | _ | _ |
| MINOSE THREAD OUTE! WINDSE THREAD OUTE! WINDSE THREAD OUTE! WASTER HOSE BIBB Tas Brass MV-0771-12N-BVT VALVE, THERMOMETER TEE & HOSE HOLDER TP-1 TRAP PRIMER PRECISION PLUMBING PRODUCTS PILMBING PRODUCTS PRIME-RITE TRAP PRIMER VALVE AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE DISTRIBUTION HEAD 'DU-U' AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE AS REQUIRED FOR MULTIPLE TRAPS 112' PROVIDE AS RE | HB-1 | | NIRCO | 73-CI | MULTI-TURN BOILER DRAIN VALVE | KEYLESS, POLISH BRONZE | | | _ | _ | _ |
| HBC WHB WATER HOSE BIBB IN SPASS WU-97/1-12/N-EVF HOLDER TP-1 TRAP PRIMER PRECISION PLUMING PRODUCTS RD ROOF DRAIN J.R. SMITH 1015ERC DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND POLYETHYLENE DOME. ROD OVERFLOW DRAIN J.R. SMITH DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND POLYETHYLENE DOME. PDD PROMENADE DECK DRAIN J.R. SMITH DX1240 DUCO CAST IRON WIDE PLANGE BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND FOLYETHYLENE DOME. AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED CAST IRON WIDE TLANGE BODY WITH SAFETY SET BUCKET & FLASHING CLAMP FLANGE FOR SIZES AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED CAST IRON BODY WITH SAFETY SET BUCKET & FLASHING CLAMP FLANGE FOR SIZES FOR SIZES AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED CAST IRON BODY WITH SAFETY SET BUCKET & FOR SIZES FOR SIZES AD AREA DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED CAST IRON BODY WITH SAFETY SET BUCKET & FOR SIZES FOR SIZES AD AREA DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PP | | HOT & COLD | | | WASHDOWN STATION W/ 3/4" MIXING | | | | 2/4" | | |
| TP-1 TRAP PRIMER PLUMBING PRODUCTS PLANS ROOF DRAIN J.R. SMITH 1015ERC DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND POLYETHYLENE DOME. ROD OVERFLOW DRAIN J.R. SMITH 1070ERC DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP NAD POLYETHYLENE DOME. PDD PROMENADE DECK DRAIN J.R. SMITH DX1240 DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP INTEGRAL STANDPIPE AND POLYETHYLENE DOME. AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENADE DECK DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENADE DECK DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENADE DECK DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENAD PLANS PROMENADE DECK DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENADE DEVICE TRAPS PROMENADE DECK DRAIN J.R. SMITH 2420 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET PLANS PP DROMENADE DEVICE TRAPS PROMENADE DEVICE TRAPS PRO | | WATER HOSE BIBB | PRECISION | | HOLDER | PRUNIUE UIGEBIBI IEIUNI REVU JULI I II | | | 3/4° | | _ |
| RD ROOF DRAIN J.R. SMITH 1015ERC FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND POLYETHYLENE DOME. ROOF OVERFLOW DRAIN J.R. SMITH 1070ERC DUCO CAST IRON BODY WITH ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP INTEGRAL STANDPIPE AND POLYETHYLENE DOME. PDD PROMENADE DECK DRAIN J.R. SMITH DX1240 DUCO CAST IRON WIDE FLANGE BODY WITH SAFETY SET BUCKET & FLASHING CLAMP RECEIVER. AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET REFER TO PLANS FOR SIZES P'P' | TP-1 | TRAP PRIMER | PLUMBING | P1-500 | | | | 1/2" | - | - | - |
| ROD OVERFLOW DRAIN J.R. SMITH 1070ERC ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP INTEGRAL STANDPIPE AND POLYETHYLENE DOME. PDD PROMENADE DECK DRAIN J.R. SMITH DX1240 DUCO CAST IRON WIDE FLANGE BODY WITH SAFETY SET BUCKET & FLASHING CLAMP AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET AD-1 AREA DRAIN J.R. SMITH 2420 FREFER TO PLANS 'P' | RD | ROOF DRAIN | J.R. SMITH | 1015ERC | ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP AND POLYETHYLENE DOME. | | PLANS | | | | |
| PDD DECK DRAIN J.R. SMITH DX1240 BODY WITH SAFETY SET BUCKET & FLASHING CLAMP AD AREA DRAIN J.R. SMITH 2410 AD-1 AREA DRAIN J.R. SMITH 2420 BODY WITH SAFETY SET BUCKET & FLASHING CLAMP BODY WITH SAFETY SET BUCKET & FOR SIZES REFER TO PLANS FOR SIZES REFER TO PLANS FOR SIZES REFER TO PLANS POR SIZES REFER TO PLANS PP' | ROD | OVERFLOW | J.R. SMITH | 1070ERC | ADJUSTABLE EXTENSION SLEEVE, FLASHING CLAMP, SUMP RECEIVER, GRAVEL STOP INTEGRAL STANDPIPE | | PLANS | | | | |
| AD AREA DRAIN J.R. SMITH 2410 DUCO CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON BODY WITH HINGED GALVANIZESD CAST IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET AD-1 AREA DRAIN J.R. SMITH 2420 REFER TO PLANS P'P' | PDD | | J.R. SMITH | DX1240 | DUCO CAST IRON WIDE FLANGE BODY WITH SAFETY SET BUCKET & | | PLANS | | | | |
| IRON GRATE, LOCKING DEVICE AND SEDIMENT BUCKET AD-1 AREA DRAIN J.R. SMITH 2420 REFER TO PLANS 'P' | | | | | DUCO CAST IRON BODY WITH | | REFER TO PLANS | | | | 'P' |
| | AD-1 | AREA DRAIN | J.R. SMITH | 2420 | IRON GRATE, LOCKING DEVICE | | PLANS | | | | 'P' |

PLUMBING FIXTURE SCHEDULE NOTES:

- 1- THE NAME AND MODEL NUMBER ARE USED TO ESTABLISH THE STANDARD OF QUALITY UNLESS OTHERWISE NOTED :

- c- PROVIDE STOPS ON ALL FIXTURES.d- BE OF THE WATER SAVER VARIETY. e- SINKS TO HAVE BASKET STRAINERS.

* WATER CONNECTION ON PRIMED TRAPS ONY

| a- | FIXTURES ARE TO BE WHITE, VITREOUS CH |
|----|---------------------------------------|
| b- | HAVE CHROME PLATED SUPPLIES. |
| • | DDOVIDE CTODE ON ALL EIVTLIDEC |

| | PIPE INSULATION SCHEDULE | | | | | | | | | | |
|------------------------------|--------------------------|------------|------------------|--|--|--|--|--|--|--|--|
| SERVICE | MANUFACTURE | TYPE | VAPOR BARRIER | INSULATION THICKNESS | REMARKS | | | | | | |
| DOMESTIC COLD WATER | OWENS CORNING | FIBERGLASS | YES | 1/2" : FOR RUNOUTS UP TO 1" * 1" : FOR PIPES 1" TO 2" 1 1/2" : FOR PIPES OVER 2" | * RUNOUTS NOT TO EXCEED. 12 FEET IN LENGTH. | | | | | | |
| DOMESTIC HOT WATER | OWENS CORNING | FIBERGLASS | YES | 1/2" : FOR RUNOUTS UP TO 1" * 1" : FOR PIPES 1" TO 2" 1 1/2" : FOR PIPES OVER 2" | * RUNOUTS NOT TO EXCEED. 12 FEET IN LENGTH. | | | | | | |
| DOMESTIC HOT WATER RETURN | OWENS CORNING | FIBERGLASS | YES | 1/2" : FOR ALL SIZES | | | | | | | |
| HORIZONTAL RAIN WATER | OWENS CORNING | FIBERGLASS | YES | 1" : FOR ALL SIZES | | | | | | | |

GREASE INTERCEPTOR CALCULATION:

3 POT SINK 24" x 24" x 14"D = 8,064 CU. IN. x 3 COMPARTMENTS = 24,192 CU. IN. 24,192 CU. IN. x .75 (75 %%% of TOTAL CAPACITY) = 18,144 CU. IN. / 231 = 79 GALLONS 79 GALLONS / 2 MINUETS = 40 GALLONS PER MINUTE DISH TABLE SINK 20" x 20" x 14"D = 5,600 CU. IN. 5.600 CU. IN. x .75 (75 %%% of TOTAL CAPACITY) = 4,200 CU. IN. / 231 = 19 GALLONS 19 GALLONS / 2 MINUETS = 10 GALLONS PER MINUTE

| EASE INTERCEPTOR =J R SMITH 8075GTX RATED FLOW OF 75 GPM & |
|--|
| GREASE CAPACITY. PROVIDE VENTED FLOW CONTROL AND OUTLET |
| JT-OFF VALVE. |
| |
| |
| |

| | | PIPI | E & FIT | TING | SCHED | ULE | |
|------------------------------|-----------------------------------|------------------------------------|-----------|------------------|-----------|---|-----------------------------------|
| SYSTEM | PIPE SIZE | LOCATION | MATERIAL | SCHEDULE OR TYPE | FITTING | JOINT | REMARKS |
| SANITARY | ALL | BELOW GRADE/GROUND | CAST IRON | SERVICE WEIGHT | CAST IRON | BELL & SPIGOT | |
| SANITARY | ALL | ABOVE GRADE/GROUND | CAST IRON | SERVICE WEIGHT | CAST IRON | NO HUB | |
| SANITARY VENT | ALL | ABOVE GRADE/GROUND | CAST IRON | SERVICE WEIGHT | CAST IRON | NO HUB | |
| RAIN WATER | ALL | BELOW GRADE/GROUND | CAST IRON | SERVICE WEIGHT | CAST IRON | BELL & SPIGOT | INSULATE ALL HORIZONTAL RAIN |
| RAIN WATER | | ABOVE GRADE/GROUND | CAST IRON | SERVICE WEIGHT | CAST IRON | NO HUB | WATER CONDUCTORS IN CEILING ABOVE |
| DOMESTIC COLD WATER | ALL | ABOVE GRADE/GROUND COPPER | | TYPE "L" | COPPER | SOLDERED | 95% TIN & 5% ANTIMONY |
| DOMESTIC HOT WATER | ALL | ALL ABOVE GRADE/GROUND COPPER | | TYPE "L" | COPPER | SOLDERED | 95% TIN & 5% ANTIMONY |
| DOMESTIC HOT WATER RETURN | JRN ALL ABOVE GRADE/GROUND COPPER | | TYPE "L" | COPPER | SOLDERED | 95% TIN & 5% ANTIMONY | |
| NATURAL GAS | ALL | ALL ABOVE GRADE/GROUND BLACK STEEL | | 40 | CAST IRON | LOW PRESSURE - SCREWED LESS THAN 2" HIGH PRESSURE - WELDED ALL SIZES | IN ACCORDANCE WITH NFPA 54 |

NOTE: ALL EXPOSED SANITARY PIPING BELOW PLUMBING FIXTURES SHALL BE CHROME PLATED BRASS.

| | PUMP SCHEDULE | | | | | | | | | | | | | | |
|----------|-------------------------|---------------------------|------------|-----------|-------------|-------|-----------|-------|-----------|------------|-------|----|--------------------------|----------------------|--|
| PUMP NO. | MP NO. LOCATION SERVICE | | SIZE (IN.) | | TYPE | GPM | HEAD | RPM | RPM MOTOR | ELECTRICAL | | | MANUFACTURER & MODEL No. | REMARKS | |
| POWF NO. | LOCATION | | SUCTION | DISCHARGE | — | GFIVI | FT. WATER | KFIVI | HP | VOLTS | PHASE | HZ | MANOTACTONEN & MODEL NO. | NEWANNO | |
| RCP-1 | MECHANICAL ROOM 321 | HOT WATER RECIRC. PUMP | 2" | 2" | INLINE | 15 | 18 | 3200 | 2/5 | 115 | 1 | 60 | "B&G" MODEL PL-130/2" | BRONZE BODY | |
| P/E-1 | ELEV PIT | ELEV PIT | | 2" | SUBMERSIBLE | 100 | 35' | 3450 | 1-1/2 | 208 | 3 | 60 | GRUNDFOS 'PIP1592L' | SINGLE FLOAT CONTROL | |

PUMP P/E1 SHALL HAVE BUILT-IN THERMAL PROTECTION, INTEGRAL SUCTION STRAINER AND INTEGRAL FLOAT SWITCH, WITH 3 PRONG PLUG CONNECTED TO AN EMERGENCY RECEPTACLE. PROVIDE A 'IN-USE ALARM WITH HORN, THREE (3) LIGHTS, SILENCER SWITCH AND THREE (3) AUXILLIARY CONTACT FOR REMOTE SIGNAL TO DDC OR BUILDING MANAGEMENT SYSTEM.. MOUNT PANEL IN A LOCATION AS DIRECTED BY OWNER. TEST PUMP PERIODICALLY TO MAINTAIN OPTIMUM PERFORMANCE.

| | GAS-FIRED WATER HEATER SCHEDULE | | | | | | | | | | | | |
|------|---------------------------------|---------------|------|--------------------|---------|----------|----|-------|--------------|--------------|----------------|--|--------------------------------|
| NO. | SERVICE | LOCATION | IITE | STORAGE GALLONS | - | RECOVERY | | TEMP. | DIM. | FLUE SIZE | INTAKE SIZE | REMARKS | BASIS OF DESIGN |
| WH 1 | BUILDING | MECH. RM. 321 | TANK | 100 | 399,999 | 451 | 40 | 140 | 28.25"Øx86"H | 3"Ø | 3"Ø | EACH HEATER SHALL BE COMPLETE W/A CONCENTRIC VENT TERMINAL KIT | BRADFORD WHITE D-80L-399-3N(A) |

NOTE: PROVIDE AN 'AXIOM" MODEL A2123601 NEUTRALIZING CARTRIDGE PER WATER HEATER TO BE INSTALLED IN THE CONDENSATE DISCHARGE LINE FROM EACH HEATER.

RIVERHOUSE AT Odette's

274 SOUTH RIVER ROAD NEW HOPE, PA 18938

OWNER/ OPERATOR: GATEWAY TO NEW HOPE, LLC 274 South River Road New Hope, PA 18938

> ARCHITECT: STOKES ARCHITECTURE 2103 Sansom Street

INTERIOR DESIGNER BALONGUE DESIGN INC 707 Matsonford Road Villanova, PA 19085 tel: (610) 525-7593

Philadelphia, PA 19103 tel: (215) 523-9190

fax: (610) 525-7594

CIVIL ENGINEER: VAN CLEEF ENGINEERING ASSOCIATES, LLC 501 North Main Street Doylestown, PA 18901 tel: (215) 345-1876 fax: (215) 345-1730 STRUCTURAL ENGINEER: O'DONNELL & NACCARATO

> Philadelphia, PA 19106 tel: (215) 925-3788

MEP ENGINEER: WICK FISHER WHITE 111 S. Independence Mall East Suite 400 Philadelphia, PA 19106 tel: (215) 627-0200 fax: (215) 627-8240

111 S. Independence Mall East Suite 950

LIGHTING DESIGNER BRIAN ORTER LIGHTING DESIGN LLC 227 W. 29th St 8th Floor New York, NY 10001 tel: (646) 502-7568



| | ISSUE FOR CONSTRUCTION | 02.28.2019 |
|------|---------------------------|------------|
| 3 | COMMISSIONING COMMENTS | 01.23.2019 |
| 2 | PERMIT SET | 07.25.2018 |
| 1 | 90% PRICING SET | 06.18.2018 |
| MARK | REVISIONS | DATE |

ALL DIMENSIONS AND RELATIONSHIPS MUST BE VERIFIED BY CONTRACTOR. THE ARCHITECT IS TO BE NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION. DO NOT SCALE FROM DRAWINGS.

| PROJECT#: | 140145.001 |
|-----------|------------|
| FILENAME: | - |
| DRAWN: | WFW |
| CHECKED: | WFW |
| DATE: | 07/25/18 |
| · ' | |

ISSUE FOR CONSTRUCTION 02-28-2019

> SCHEDULES -PLUMBING